

## FIAT Argo Service Information Reset (Service Lamp Reset) Method


**Supported equipment:** Launch's full range of comprehensive diagnostic equipment

**Current equipment:** PAD V

**Function description:** After repair is completed for FIAT, service information reset is required.

**Tested model:** 2020/Fiat/Argo, VIN: 9BD358A4NLYJ\*\*\*\*\*

1. On a PAD V, choose [Local Diagnose] and then [FIAT] to test.



Local Diagnose

VIN scan **All** Common American European Asian Chinese Can Bus Pin Detection Purchase

Diagnosics for <b>ABARTH</b> <small>by LAUNCH</small>	Diagnosics for <b>ALFA ROMEO</b> <small>by LAUNCH</small>	Diagnosics for <b>DODGE</b> <small>by LAUNCH</small>	Diagnosics for <b>JEEP</b> <small>by LAUNCH</small>	Diagnosics for <b>LANCIA</b> <small>by LAUNCH</small>	Diagnosics for <b>MASERATI</b> <small>by LAUNCH</small>
Diagnosics for <b>CADILLAC (CHINA)</b> <small>by LAUNCH</small>	Diagnosics for <b>BUICK (CHINA)</b> <small>by LAUNCH</small>	Diagnosics for <b>SGM</b> <small>by LAUNCH</small>	Diagnosics for <b>CHEVROLET (CHINA)</b> <small>by LAUNCH</small>	Diagnosics for <b>CHRYSLER</b> <small>by LAUNCH</small>	Diagnosics for <b>CADILLAC</b> <small>by LAUNCH</small>
Diagnosics for <b>BUICK</b>	Diagnosics for <b>OPEL</b>	Diagnosics for <b>ECUAID</b>	Diagnosics for <b>FIAT</b>	Diagnosics for <b>GM</b>	Diagnosics for <b>ASTON MARTIN</b>

Vehicle Version Information Home Print Share

Software ID	Version #
FIAT	V38.40

### FIAT V38.40

#### Introduction

**ECU Coverage:**

This Software Diagnoses All FIAT Series ECUs, Including Engine, AT, ABS, SRS, A/C, Instrument, Power Steering, Body PC, Door Control, Tire Pressure Control, Parking Control And Headlamp, Etc.

(The Following Models Covered Are Only For Reference And Will Vary Constantly With The Upgrades Of Software.)

**Basic Functions Include:**



- Reading ECU Information
- Reading DTCs
- Clearing DTCs
- Reading Vehicle Running Data
- Vehicle component Operation Test

**Special functions include:**


- Key Programming([Body Module])
- Tire Pressure detection([Body Module]/[Tire Pressure Control])
- Reset Adaption

Vehicle Coverage


- 2. Choose [Automatically Search] to identify car models automatically. After the car model is successfully identified, choose OK.




3. Choose [Yes] to unlock the SGW.




4. Choose [North America] for the region.




5. Input the login user name and password, and click OK.




6. Unlocking is successful. Click OK.





7. Click [Smart Detection] to scan the entire vehicle systems.




8. Click [IPC (Instrument Panel Cluster)] to access the system.




9. Click [Special Function] and click OK.




10. Choose [Misc Function].




11. Choose [Reset Service Information].




12. Click OK.



13. Click OK.



14. Click OK. Program execution is completed.



## Statement:

The content of this document is copyrighted by Shenzhen Launch Tech Co., Ltd., and no individual or organization may quote or reprint it without consent.