

Ford B-Max Reset the Throttle Control Unit Learned Values


Supported Equipment: Launch's full range of comprehensive diagnostic equipment

Current Equipment: PRO3 LINK



Function Description: It is necessary to perform this function to reset the learned values of the intake air shutoff throttle valve after installing a new one.

Tested Model: Ford/2017/B-Max, VIN: WF0KXXERJKHG *****

1. On a PRO3 LINK, choose [Diagnose].



2. Choose [FORD] to test.



Ford Diagnosis V50.75

Software Introduction

ECU Coverage:

This Diagnostic Software Can Test For USA Ford ECUs, Including: Engine, Automatic Transmission, Anti-Lock Brake, Airbag, Air Conditioning, Dashboard, Anti-Theft, Cruise, Common Electronics, Seats, Light, etc.



Basic Functions:


- Reading ECUs
- Reading DTCs(Diagnostic trouble code)
- Clearing DTCs(Diagnostic trouble code)
- Reading Vehicle Running Data
- Vehicle Component Operation Test

Special Functions:




3. Choose [Automatically Search] to identify vehicle models automatically.








4. Click [Smart Detection] to scan the entire vehicle systems.




5. Click [PCM (Powertrain Control Module)] to enter the system.




6. Choose [Special Functions].




7. Choose [Reset The Throttle Control Unit Learned Values].




8. Program function introduction.




9. Turn the ignition to the ON position (position II).




10. Wait for the reset.




11. Turn the ignition to the OFF position (position 0).



12. Wait for the PCM (Powertrain Control Module) to power down.



13. Program successful. Exit the program.



Statement:

The content of this document is copyrighted by LAUNCH TECH CO., LTD., and no individual or organization may quote or reprint it without consent.