FIAT Fastback Reset Angle Offset

Supported equipment: Launch's full range of comprehensive


diagnostic equipment

Current equipment: PAD 5

Function description: It necessary to execute this program for FIAT when the BSM or EPS ECU is replaced.

Tested model: 2023/Fiat/ Fastback, VIN: 9BD376A31PYB*****

1. On a PAD 5, choose [Local Diagnose] and then [FIAT] to test.



									•	🕸 🕕 🔻 📋 9:33 AM
Local Diagnos	е							0	Q Enter the	model name
VIN scan All	Common	American	European	Asian	Chinese	Can Bu	ıs Pin Deteo	ction	Purchase	
Diagnostics for	Diagnostics for	C	Diagnostics for	D	iagnostics for	_	Diagnostics for		Diagnostics I	for
										_
ABARTH	ALFA	ROMEO	CHRYSLI	ER	DODG	E	FIA	Т		JEEP
by LAUNCH Diagnostics for		by LAUNCH		by LAUNCH		by LAUNCH		by LAUNC		by LAUNCH
LANCIA										
by LAUNCH	J									
		瓜							\	•
	0	5 S						វែ	ป	Ð
	n Inforn	nation							_	* •⊡• 💎 🙆 9:50 AM
Vehicle Versio	on Inforn	nation			Manajar #			î (•	* • ♥ ♥ ¥ 9:50 AM
Vehicle Versio	on Inforn	nation			Version #			∩	_	
Vehicle Versio	on Inforn	nation			Version # V38.60			∩	_	
Vehicle Versio Software ID	on Inforn	nation	F		V38.60			A	_	
Vehicle Versio Software ID	on Inforn	nation	F		V38.60			A ∏	_	
Vehicle Versio Software ID FIAT	on Inforn	nation	F		V38.60			Â	_	
Vehicle Version Software ID FIAT	ses All FIAT Ser			FIAT V	V38.60 38.60	r Steering, B				P
Vehicle Version	ses All FIAT Ser J, Etc.	ries ECUs, Includin	ng Engine, AT, ABS	FIAT V	V38.60 38.60		ody PC, Door Co			P
Vehicle Version	ies All FIAT Ser b, Etc. s Covered Are C	ries ECUs, Includin	ng Engine, AT, ABS	FIAT V	V38.60 38.60		ody PC, Door Co			P
Vehicle Version	ses All FIAT Ser), Etc. 13 Covered Are C ion ng Data	ries ECUs, Includin	ng Engine, AT, ABS	FIAT V	V38.60 38.60		ody PC, Door Co			P
Vehicle Versio	ses All FIAT Ser), Etc. 13 Covered Are C ion ng Data	ries ECUs, Includin	ng Engine, AT, ABS	FIAT V	V38.60 38.60		ody PC, Door Co			P
Vehicle Version Software ID FIAT Introduction ECU Coverage: This Software Diagnos Control And Headlamp (The Following Models Basic Functions Include: • Reading ECU Informati • Reading DCS • Clearing DTCS • Reading Uncolored Component Op Special functions include: • Key Programming(IBo	ses All FIAT Ser , Etc. s Covered Are C ion ng Data veration Test dy Module])	ries ECUs, Includin	ig Engine, AT, ABS e And Will Vary Cor	FIAT V	V38.60 38.60		ody PC, Door Co			P
Vehicle Version Software ID FIAT Introduction ECU Coverage: This Software Diagnos Control And Headiamp (The Following Models Basic Functions Include: Reading DTCs Reading DTCs Reading Vehicle Runni Vehicle component Op Special functions include: Key Programming(Ibo	ses All FIAT Ser , Etc. s Covered Are C ion ng Data veration Test dy Module])	ries ECUs, Includin	ig Engine, AT, ABS e And Will Vary Cor	FIAT V	V38.60 38.60		ody PC, Door Ca	ontrol, Tire		P
Vehicle Version Software ID FIAT Introduction ECU Coverage: This Software Diagnos Control And Headlamp (The Following Models Basic Functions Include: • Reading ECU Informati • Reading DTCs • Clearing DTCs • Clearing DTCs • Clearing DTCs • Clearing DTCs • Reading Vehicle Runni • Vehicle component Op Special functions include: • Key Programming(IBo	ses All FIAT Ser , Etc. s Covered Are C ion ng Data veration Test dy Module])	ries ECUs, Includin	ig Engine, AT, ABS e And Will Vary Cor	FIAT V	V38.60 38.60		ody PC, Door Ca	ontrol, Tire	Pressure Con	Itrol, Parking

2. Choose [Automatically Search] to identify car models automatically. After the car model is successfully identified, choose OK.

Ψ 🖪 🔣	🕈 🕀 💎 📱 9:50 AM
Show Menu	
FIAT V38.60 > FIAT	🫜 🕇 117 b/s 🛛 🕹 81 b/s 🛛 🕂 12.60V
	Q Please enter keyword
Automatically Search	Manually Select
Help Information	ADAS Calibration

\bigcirc					ŝ	Ð
- E V 🔣					٥	🗱 🕕 💎 🔓 9:51 AM
Show Menu		A	Ľ	2		P
FIAT V38.60 > FIAT				🤶 🕇 0 b/s	6	+- 12.59V enter keyword
Automatically Search	FIAT	г				
Help Information	VIN:9BD376A31PYB Model Name:Fastback Model Year:2023 Body Name:6C Car Code:0x000000x080 Please Record Or Print Th Page Which Is Useful For Market Service Center. If Identified Wrong Vehicle Return And Manually Sele The Test! CANCEL	e Informatior You To Query e Model, Plea	y After- Ise Perform			
Q 🖸					ណ្	5

3. Choose [Yes] to unlock the SGW.

			♥ *	\varTheta 💎 📋 2:03 PM
FIAT	f	z∕		P
			🤶 🕇 2.70 kb/	/s 🕹2.78 kb/s
The Vehicle Is Equipped With SGW (Security Gateway) Module. Do You Want To Login With FCA Account To Unlock SGW (Security Gatew Supports European Region Or North American Region(USA & Canada & N Your Dealer.			1 The Busine	ess Area Of
YES - Login With FCA Account, Unlock The SGW (Supports'Version Infor Stream','Actuation Test'And'Special Function') *NO* - Not Unlock SGW (Only Supports'Version Information','Read DTC'An			ad Data	
Without Unlocking SGW (Security Gateway). The Diagnostic Software Only Supports'Version Information','Read DTC'A	nd'Read Da	ita Stream'	Functions.	
Yes NO				
	Г		ណ៍	€

4. Choose [North America] for the region.

🖬 🐺 🛞				♀ * e	💎 📋 2:03 PM
FIAT		A	Ľ		ŀ
			🔷 🛜 🕇 455 b/s	s 🕹 🕹 462 b/s	🗄 12.41V
	(Security Gateway) Module. count To Unlock SGW (Security Gatew h American Region(USA & Canada & I			The Busines	ss Area Of
YES - Login With FCA Account, L	Sign in to unlock SGW		nd DTC','Read	d Data	
Stream','Actuation Test'And'Specia *NO* - Not Unlock SGW (Only Sup	Region Select	▼	Stream')		
Without Unlocking SGW (Security The Diagnostic Software Only Sur	North America		ta Stream'Fu	unotiono	
The Diagnostic Software Only Su	European		ta Stream Fu	inctions.	
	Other				
_					
Q 🖸 🚇		C	」		\supset

5. Input the login user name and password, and click OK.

- V. 🛞				♥ *	😑 🛡 📋 2:04 PM
FIAT		f	Ľ		P
				🤶 🕇 0 b/s	↓ 0 b/s
The Vehicle Is Equipped With SGW Do You Want To Login With FCA A Supports European Region Or Nor Your Dealer. *YES* - Login With FCA Account, U Stream', 'Actuation Test'And'Specia *NO* - Not Unlock SGW (Only Sup	(Security Gateway) Module.	Help	? epends On Id DTC','Rei I Stream')		ess Area Of
Without Unlocking SGW (Security The Diagnostic Software Only Su	Username Password		ta Stream'i	Functions.	
	Retrieve Password New	Registration			
	SKIP OK	κ			
<i>Q</i> •				ណ៍	•⊃

6. Unlocking is successful. Click OK.

国 				\$ €	🗢 🔻 🖹 2:05 PM
FIAT		A	E		P
				🤶 🕇 383 b/s	↓ 173 b/s
	(Security Gateway) Module. ccount To Unlock SGW (Security Gatew h American Region(USA & Canada & N			n The Busine	ess Area Of
YES - Login With FCA Account, L	alook The SGM (Supports') Version Info	rmation' 'Do	nd DTC','Re	ad Data	
Stream', 'Actuation Test'And'Specia	Prompt Information				
NO - Not Unlock SGW (Only Supp			Stream')		
Without Unlocking SGW (Security	Secure Gateway Unlocked Successfu	Illy!			
The Diagnostic Software Only Su			ta Stream'	Functions.	
	ок				
<i>Q</i> •		[<u>ل</u>	♪

山 ひ 📕		51 AM
System and Fund	ction 🔒 😰 🚊 🗗	
FIAT V38.60 > Automatically S	Search > Fastback > 2023 🛜 🕇 0 b/s 🛛 🕂 12	2.59V
System Topology	*Support sliding up and down INormal IAbnormal IScanned INot Scanned INot Equipped	
System List	TCM ESM SGW	
Multi-system Datastream	CANLL3_11 ETM DMM ICS HVAC DSM	
Common Functions	CAN.H. 12,13 ABS EPS PAM	
All System Special Functions	OBD BCM ORC HALF	
	К	
	Smart Detection High-speed Scan System Scan Select Detection	'n
Ø P		

7. Click [Smart Detection] to scan the entire vehicle systems.

8. Click [ABS (Anti-Lock Braking System)] to access the system.

- ♥ ₩					* •0	👽 🛿 10:06 AM
System and Fun	ction	f	⊒ ∕	\bigcirc		₽
FIAT V38.60 > Automatically	Search > Fastback > 2023		-	🤶 🕇 1.72 kb,	/s ↓1.80 kb/s	+- 12.59V
System Topology	*Support sliding up and down Normal Abnorr CAN_H_6_14	nal Scanned	□Not Scanned ■	Not Equipped	TBM2	
System List		ТСМ	ESM	SGV	v	
Multi-system Datastream	CAN_L_3_11 E	HVAC	DMM DSM			
Common Functions	CAN_H_12_13	ABS	EPS	PAM		
All System Special Functions	OBD BCM	ORC	HALF			
	к					
		Report	Compare Res	sults Diagno	stic Plan C	lear DTCs
<i>Q</i> [¬]			[]		5

9. Choose [Special Function].

国 作 国	🗱 🕩 💎 😰 10:06 AM
Show Menu	
FIAT V38.60 > Automatically Search > Fastback > 2023 > ABS (Anti Lock Brakes)	<u>∓</u> =12.61V
	QPlease enter keyword
Module Information	Read Fault Code
Clear Fault Memory	Read Data Stream
Actuation Test	Special Function
Configuration	

0	P	8			ŝ	Ð	

10. Choose [Misc Function].

■ v X				* 🕩	💎 📱 10:06 AM
Show Menu	f	₹	2		ŀ
FIAT V38.60 > Automatically Search > Fastback > 2023 > ABS (Anti Lock Brakes)			🛜 🕇 568 b/s	4 660 b/s	∓ −12.59V
			(ି ୍ Please en	ter keyword
Misc Function					
System Test					

Ø	P			<u>ل</u> م	Ð	

11. Choose [Reset Angle Offset].

山 ひ 🗵	券 «D» 💎 📱 10:06 AM						
Show Menu							
FIAT V38.60 > Automatically Search > Fastback > 2023 > ABS (Anti Lock Brakes)	12.59 √						
	Q Please enter keyword						
Apply Electric Brake Rear Right	Apply Electric Brakes EPB (Electrical Parking Brake)						
Assembly Check	Longitude And Lateral Sensor Calibration						
Maintenance Mode Close EPB (Electrical Parking Brake)	Maintenance Mode Open EPB (Electrical Parking Brake)						
Pressure Sensor Calibration	Release Electric Brake Rear Left						
Release Electric Brake Rear Right	Release Electric Brakes EPB (Electrical Parking Brake)						
Reset Angle Offset	TPMS (Tire Pressure Monitoring System) Calibration Reset						

Ø	P	B		ŝ	Ð	

12.Click OK.

■ ♥ X			-	-	≵ •[) 🔻 🖁 10:20 AM
Show Menu	f	E C			F	
FIAT V38.60 > Automatically Search > Fastback			🤶 🕇 0 b/s	↓ 0 b/s	∓ −12.59V	
					QPlease e	nter keyword
Apply Electric Brake Rear Right	Apply Electric Brakes EPB (Electrical Parking Brake)					
Assembly Check	Reset Angle Offset			sor Calibration		
Maintenance Mode Close EPB (Elec	Angle Offset. xecuted If BSM (Blind lectric Power Steering)			Brake)		
Pressure Sensor Calibration Calibration			d = 0km/H	ar Left		
Release Electric Brake Rear Right	o	ок		PB (Electrical Parking Brake)		
Reset Angle Offset		TPMS (Tire I	Pressure Mo	nitoring Syste	em) Calibrati	on Reset
Q 🛛 🖾			[С м	1

■ や 第					* 1	🕞 💎 🔓 10:20 AM		
Show Menu		A	Ľ	2		F		
FIAT V38.60 > Automatically Search > Fastback	x > 2023 > ABS (Anti Lock Brakes)			🤶 🕇 0 b/	's 📕0 b/s	+ –12.59V		
					QPlease e			
Apply Electric Brake Rear Right		Apply Electric Brakes EPB (Electrical Parking Brake)						
Assembly Check	Deset 4 a	Longitude And Lateral Sensor Calibration						
	Reset An	gle Offset						
Maintenance Mode Close EPB (Elec	EPB (Electrical Parking Brake)							
Pressure Sensor Calibration								
		ar Left						
	0	ĸ						
Release Electric Brake Rear Right		Release Electric Brakes EPB (Electrical Parking Brake)						
-								
Reset Angle Offset	TPMS (Tire Pressure Monitoring System) Calibration Reset							
Q 🖪 🖽					ŝ	€		

13. Click OK. Program execution is completed.

Statement:

The content of this document is copyrighted by LAUNCH TECH CO., LTD., and no individual or organization may quote or reprint it without consent.